

For Immediate Release

News From: Absolute Machine Tools, Inc. 7420 Industrial Parkway, Lorain, OH 44053 Contact: Courtney Ortner 800-852-7825

Media Contact: Lynn Gorman Communications, lynn@gorcomm.com, 352-489-4788

With Art: Johnford DMC900

Johnford DMC Series Bridge Mills Offer Large Load Handling with Maximum Stability in a Smaller Footprint

[LORAIN, OH – August 2015] Johnford DMC Series double-column moving table <u>bridge</u> <u>mill</u> is created from a one-piece Meehanite[®] cast iron bridge/column assembly that takes up 30 percent less floor space than comparable C-frame vertical machining centers. Available in both moving table and sliding column (fixed-table) versions – ranging from 36- x 36- x 30-inches of travel up to 60-ft. x 20-ft. – the bridge mills have a long base casting with complete support of the table over the full 51 inches of Y-axis travel, allowing massive loads to be machined.

The Y and Z axes hold fixed loads at all times while the X-axis carries the only dynamic load allowing for tight machining and tight tolerances during high-speed machining operations. Because there is no table overhang, X-axis pitch and yaw are eliminated. The spindle centerline-to-column distance is minimized offering further rigidity. The machine's heavily ribbed cast iron construction provides long tool life and part surface finish. The combination of twin screw-type conveyors and a caterpillar conveyor ensures complete chip removal with little manual cleaning. Additionally, Finite Element Analysis (FEA) is used to design each bridge mill, simulating the effects of real world conditions, including vibration, heat, fluid flow and other physical impacts.

The DMC900-1500H small-frame series bridge mills feature a fixed column with moving table, X-axis travel from 35.40-in. to 59.1-in., Y-axis travel of 35.4-in. and a Z-axis travel of 30-in., and table load capacities from 6600- to 13,200-lbs.

The DMC-1600-3100H medium-frame series offers a fixed-column construction with moving table, X-axis travel from 63-in. to 161.4-in., Y-axis travel of 51.2-in., and Z-axis travel of 31.5-in. with a table load capacity of 13,200 lbs.

There are several DMC versions that offer multi-axis and five-face solutions. The 2100S-6100 SH S Series offer a fixed-column moving table with X-axis travels from 82.7-in. to 240.2-in., Y-axis travel of 70-in. and Z-axis travel of 31.5-in. while the 3100P-6100PH P Series feature the same fixed-column moving table with longer travels – X-axis ranges from 122-in. to 240.1in. Y-axis is 90.5-in. and Z-axis is 31.5-in. Table load capacities range from 22,000lbs. to 26,400 lbs. and 22,000 lbs. to 35,20 lbs., respectively.

The large DMC-4000x2800x800 – DMC-4000x2800+5-Face W-Axis Large Multi-Axis Series can handle a whopping 44,000-lbs. of table load with an X-axis travel of 118-in. through 236-in., Y-axis travel of 110.2-in. to 189-in., Z-axis travel of 31.5-in. to 42-in., and a W-axis travel of 39.4-in. to 78.7-in. on a fixed-column moving table.

Finally, the SDMC Series custom-made unlimited size sliding double-column series multi-axis, five-face series features moving-column and fixed-table gantry mills with X-axis travels ranging from 157-in. to 720-in., Y-axis travels of 72-in. to 236-in., Z-axis

travels from 31.5-in. to 42-in., and W-axis travels from 39.4-in. to 78.7-in. Table load capacity is 614-lb./ft.²

###

About Absolute Machine Tools, Inc.

Absolute Machine Tools, Inc. sells and supports Nexturn Swiss-type lathes; Precihole gundrilling machines; AccuteX EDM wire, sinker, and hole drilling machines; You Ji Vertical Turret Lathes; Johnford Sliding Double Column Machining Centers; and Tongtai Horizontal Machining Centers and Pallet Pools. The company has worked with several of its principal machine tool partners for 26 years to offer some of the most heavy-duty, accurate, and productive machines in the industry. The company has built its reputation on exemplary applications engineering, service, customer support, comprehensive training, and effective preventive-maintenance programs. In addition to its headquarters in Lorain, Ohio, the company has established direct full-service technical centers in Mason, Ohio; Elgin, Illinois; and Livonia, Michigan.